

uniarch

Powered by Uniview Tech.

PRICE LIST

1403 . 10 . 26

 redka.co_

 021-88902790

 www.redka.ir



IP CAMERA



IPC-B122-APF40

31,800,000
ريال



Lens:4.0mm@F2.1
Ultra 265 / H.265 / H.264
1080P(1920*1080), Max 25fps
Privacy Mask, ROI, Motion Detection
Digital Defog
Built in MIC
IR Range: UP to 30m
Ingress Protection: IP67 / Plastic, PoE

IPC-T122-APF28

33,500,000
ريال



Lens:2.8mm@F2.1
Ultra 265 / H.265 / H.264
1080P(1920*1080), Max 25fps
Privacy Mask, ROI, Motion Detection
Digital Defog
Built in MIC
IR Range: UP to 30m
Ingress Protection: IP67 / Plastic, PoE

IPC-B222-APF40

40,500,000
ريال



Lens:4.0mm@F2.1
Ultra 265 / H.265 / H.264, U-Code
1080P(1920*1080), Max 25fps
Privacy Mask, ROI, Motion
Detection
Built in MIC
IR Range: UP to 60m
Ingress Protection: IP67, Plastic and

IPC-T213-APF28W

47,500,000
ريال



Lens:2.8mm@F1.6
Ultra 265, H.265, H.264
3MP(2304*1296)@25fps
Motion detection, Audio detection
Built in MIC
IR Range: UP to 30m / White Light Range
Up To 15m
Ingress Protection: IP67
POE

IPC-B233-APF40W

47,500,000
ريال



Lens:4.0mm@F2.0
Ultra 265, H.265, H.264, U-Code
3MP(2304*1296)@25/20fps
Motion detection, Audio detection
Built in MIC
Smart IR, IR Range: Up to 50m
White Light Range Up To 15m
Ingress Protection: IP67
POE

IPC-B124-APF40

48,000,000
ريال



Lens:4.0mm@F2.1
Ultra 265 / H.265 / H.264
4MP(2560*1440), Max 20fps
Privacy Mask, ROI, Motion Detection
Built in MIC
IR Range: UP to 30m
Ingress Protection: IP67 / Plastic
POE

IPC-T124-APF28

48,000,000
ريال



Lens:2.8mm@F2.1
Ultra 265 / H.265 / H.264
4MP(2560*1440), Max 20fps
Privacy Mask, ROI, Motion Detection
Built in MIC
IR Range: UP to 30m
Ingress Protection: IP67 / Plastic
POE

IPC-D314-APKZ

126,000,000
ريال



Lens:2.8-12mm@F1.8
Ultra 265 / H.265 / H.264, MJPEG
4MP(2560*1440), Max 25fps
Motion Detection, Tampering Alarm
Built in MIC / WDR(120dB)
Micro SD, up to 256GB, ANR
Smart IR, IR Range: Up to 30m
Ingress Protection: IP67 / IK10
POE

IPC-B314-APKZ

126,000,000
ريال



Lens:2.8-12mm@F1.8
Ultra 265 / H.265 / H.264, MJPEG
4MP(2560*1440), Max 25fps
Privacy Mask, ROI, Motion Detection
Built in MIC / WDR(120dB)
Micro SD, up to 256GB, ANR
Smart IR, IR Range: Up to 50m
Ingress Protection: IP67
POE


2M PIXELS

3M PIXELS

4M PIXELS



IP CAMERA



IPC-P213-AF40KC

78,000,000
ريال



Lens:4mm@F1.6
Ultra 265 / H.265 / H.264
3MP(2304*1296), Max 20fps
Line Crossing Detection, Intrusion Detection
Built-in MIC & Speaker
Micro SD, up to 256GB, ANR
30m(98ft)Warm light distance
Ingression Protection: IP66/POE

IPC-P1E5-AX4PKC

220,000,000
ريال



Lens:2.8-12mm@F1.6
Ultra 265 / H.265 / H.264, MJPEG
5MP(2880*1620), Max 30fps
Cross Line, Intrusion, Enter Area Detection
Edge Storage: Micro SD, up to 256GB, ANR
Built-in-Mic,Built-in Speaker,Alarm Light
Smart IR,IR Range:Up to 50M,Warm light Range to 10M
Ingression Protection: IP66/POE

IPC-P413-X20K

300,000,000
ريال



Lens:5-100mm@F1.7-F2.8
Optical Zoom: 20X
H.265 / H.264, MJPEG
3MP(2304*1296), Max 30fps
Micro SD, up to 256GB, ANR
Reset Button / Auto Tracking
Smart IR, IR Range: Up to 100m
Ingression Protection: IP66/NO Bracket

UHO-S2E

25,000,000
ريال




2MP Resolution
IR Range Up to : 10m
Lens : 4 mm @ F2.0
Micro SD card 256 GB Supported
Motion detection, Atuo tracking
Human body Detection
Two-way audio supported

UHO-S1

22,500,000
ريال



2MP Resolution
IR Range Up to : 7m
Lens : 3.6mm @ F2.0
Micro SD card 128GB Supported
Motion detection, Motion tracking
Pet/Human Detection
Two-way audio supported



RECORDER

NVR-104E2

56,000,000
ريال



IP Video Input:4 CH
Ultra 265 / H.265 / H.264
Live view /Play back: 8MP
Hard Disk: 1SATA Interface, Up to 6TB
Incoming /Outcoming Bandwith:64/32 Mbps

NVR-104E2-P4

76,000,000
ريال



IP Video Input:4 CH-POE
Ultra 265 / H.265 / H.264
Recording Resolution: 8MP
Live view /Play back: 8MP
Hard Disk: 1SATA Interface, Up to 6TB
Incoming /Outcoming Bandwith:40/40 Mbps

NVR-106S3

41,500,000
ريال



IP Video Input:6 CH
Ultra 265 / H.265 / H.264
Live view /Play back: 6MP
Hard Disk: 1SATA Interface, Up to 6TB
VCA Detection by Camera : Intrusion Detection, Cross Line Detection, Auto Tracking,...
Incoming /Outcoming Bandwith:64/48 Mbps

NVR-108E2-P8

114,000,000
ريال



IP Video Input:8 CH-POE
Ultra 265 / H.265 / H.264
Recording Resolution: 8MP
Live view /Play back: 8MP
Hard Disk: 1SATA Interface, Up to 6TB
Incoming / Outcoming Bandwith:50/40 Mbps

NVR-110E2

67,500,000
ريال



IP Video Input:10 CH
Ultra 265 / H.265 / H.264
Recording Resolution: 8MP
Live view /Play back: 8MP
Hard Disk: 1SATA Interface, Up to 6TB
Audio Output: 1CH.
Incoming /Outcoming Bandwith:64/32 Mbps

NVR-216S-P16

220,000,000
ريال



IP Video Input:16 CH-POE
Ultra 265 / H.265 / H.264
Recording Resolution: 8MP
Live view /Play back: 8MP
Hard Disk: 2 SATA Interfaces, Up to 10TB
Alarm in: 4 CH. Alarm Out:1CH
Incoming /Outcoming Bandwith:160/96 Mbps

NVR-116E2

81,000,000
ريال



IP Video Input:16 CH
Ultra 265 / H.265 / H.264
Recording Resolution: 8MP
Live view /Play back: 8MP
Hard Disk: 1SATA Interfaces, Up to 6TB
Audio Output: 1CH. 3.5mm
Incoming /Outcoming Bandwith:64/32 Mbps

NVR-216S2

112,000,000
ريال



IP Video Input:16 CH
Ultra 265 / H.265 / H.264
Recording Resolution: 8MP
Live view /Play back: 8MP
Hard Disk: 2 SATA Interfaces, Up to 6TB
Audio Output: 1CH. RCA
Incoming / Outcoming Bandwith:160/96 Mbps

ITR-NV322-4K

230,000,000
ريال

(ITR, UNIARCH OEM)



IP Video Input:32 CH
Ultra 265 / H.265 / H.264
Recording Resolution: 8MP
Live view /Play back: 8MP
Hard Disk: 2SATA Interfaces, Up to 8TB
Auto Tracking, People Counting, Crowd Density, Humanbody Detection
Incoming /Outcoming Bandwith:160/64 Mbps

XVR-104G3

50,000,000
ريال



4CH (AHD) With 2CH (IP)
H.264/H.265
Live:-5MP@20fps
Playback :5MP Lite@12fps
Audio input : 1-ch
Hard disk SATA : 1SATA interface Up to 8 TB
Mobile App : Guard viewer-pass:123456

XVR-108G3

66,000,000
ريال



8CH (AHD) WITH 4CH (IP)
OR Only IP up to 8CH (IP)
H.264/H.265
Live: 5MP@12fps
Playback :5M-N@6fps
Audio input : 1-ch
Hard disk SATA : 1SATA interface Up to 8 TB
Mobile App : Guard viewer pass:123456

XVR-116G3

111,000,000
ريال



16CH (AHD) WITH 4CH (IP)
OR Only IP up to 16CH (IP)
H.264/H.265
Live: 5MP@12fps
Playback :5M-N@6fps
Audio input : 1-ch
Hard disk SATA : 1SATA interface Up to 8 TB
Mobile App : Guard viewer